Subject Index for
Heat Transfer—Japanese Research, Volume 24, 1995

2-methyl-2-propanol: 3, 288-302

Absorption enhancement: 1, 68-79
Absorption refrigeration: 1, 68-79
Aging: 3, 209-226
Ambient pressure: 1, 80-97
Analysis: 1, 1-16; 7, 589-602
Anisotropic heat conductor: 6, 491-503
Annular flow: 5, 476-490
Annular pipe: 8, 672-688
Annular tube: 5, 409-424
Arbitrary shape: 7, 589-602

Binary mixture: 1, 57-67
Biological engineering: 4, 342-255; 5, 457-475
Biological tissues: 4, 342-255
Boiler: 2, 99-114; 7, 563-577
Boiling: 4, 356-368, 397-407; 6, 517-537, 538-550; 7, 563-577; 8, 701-716
Boiling heat transfer: 7, 637-651
Boiling two-phase flow: 3, 239-254; 7, 577-588
Boundary layer thickness: 8, 689-700

Catalyst bed: 3, 288-302
Cell membrane: 4, 342-255
Ceramic coating: 1, 80-97
Chemical reaction: 3, 288-302
Circular tube: 7, 603-618
Cluster: 6, 551-561
Clustering process: 8, 717-728
Clusters: 8, 717-728
Cold-wall reactor: 8, 653-671
Combined convection: 2, 166-178
Computed tomograph: 2, 179-192
Concave surface: 7, 637-651
Condensate: 8, 717-728
Condensation: 1, 57-67; 6, 551-561; 8, 672-688, 717-728
Condensation curve: 1, 57-67
Convective heat transfer: 7, 603-618, 637-651
Correlation: 1, 17-31; 4, 369-377
Countercurrent flow: 5, 476-490
Critical heat flux: 3, 239-254, 272-287; 7, 637-651; 8, 701-716
Critical heat flux model: 7, 637-651
Cryogenic: 4, 328-341
Cryopreservation: 5, 457-475
Cryoprotectant: 5, 457-475
CVD: 8, 653-671

Density wave oscillation: 7, 563-577, 577-588
Direct-contact heat transfer: 4, 397-407
Dropwise condensation: 1, 57-67
Dryout: 3, 239-254

Endothermic reaction: 3, 288-302
Environmental measurement: 2, 179-192
Evaporation: 1, 1-16, 17-31, 80-97; 3, 255-271; 4, 397-407; 8, 672-688, 689-700
Experiment: 1, 17-31
Extracellular freezing: 5, 457-475

Falling film: 1, 1-16, 17-31
Fast-breeder reactor: 4, 397-407
FEM: 3, 209-226
Fertilized killifish eggs: 5, 457-475
Film growth: 6, 551-561
Finite-element method: 2, 133-146
Finned tubes: 4, 369-377
Flashing: 7, 563-577
Flooding: 5, 476-490
Flow distribution: 1, 32-44
Flow-drag reduction: 7, 603-618
Flow pattern: 3, 239-254
Flow separation: 2, 115-132
Flow visualization: 3, 303-314
Fluid flow: 8, 653-671
Fluid mechanics: 2, 115-132
Flux method: 2, 99-114
Fog: 5, 439-456
Forced convection: 2, 133-146, 166-178, 193-207; 3, 209-226, 303-314; 4, 315-327, 369-377; 5, 425-438; 6, 504-516, 538-550; 8, 701-716
Freezing: 4, 342-255; 5, 457-475
Furnace: 2, 99-114
Fusion reactor: 3, 255-271; 7, 637-651

Gas-liquid/solid interface: 3, 255-271
Gas mixture: 1, 45-56
Gas turbine: 3, 209-226
Green's function: 3, 227-238
Groove: 1, 68-79

Heat conduction: 2, 133-146; 3, 227-238; 7, 589-602
Heat exchanger: 4, 328-341, 369-377, 397-407; 7, 563-577
Heat sink: 4, 315-327
Heat source: 3, 227-238
Heat transfer: 1, 1-16, 17-31, 57-67, 68-79, 80-97; 2, 99-114, 133-146, 147-165, 166-178; 3, 209-226, 288-302; 4, 328-341, 342-255, 356-368, 369-377; 5, 409-424, 425-438, 457-475; 6, 517-537, 538-550; 7, 589-602, 619-636; 8, 653-671, 672-688
Heat-transfer enhancement: 1, 80-97; 2, 193-207; 3, 303-314; 4, 278-396; 5, 425-438
Heat-transfer promoter: 2, 193-207
Heat-transfer regulation: 6, 504-516
Heat transport: 3, 288-302
Helically coiled tube: 3, 239-254
Helium: 4, 328-341
Helium refrigerator: 4, 328-341
Heterogeneous nucleation: 5, 439-456
High subcooling: 8, 701-716
High-T_C superconductor: 6, 491-503
High velocity: 8, 701-716
Horizontal tube: 1, 1-16, 17-31
Human thermal system: 2, 147-165

Ice: 7, 589-602
Image processing: 4, 356-368
Image treatment: 3, 209-226
Impingement cooling: 4, 315-327; 7, 637-651
Impinging jet: 2, 133-146, 193-207; 6, 538-550
Infrared spectroscopy: 8, 717-728
Instability: 5, 476-490
Inverse problem: 2, 133-146

Knurl: 1, 68-79

Larger biological tissue: 5, 457-475
Laser: 1, 45-56
Laser beam: 3, 255-271
Least-squares method: 3, 227-238
Linear stability analysis: 7, 563-577
Liquid crystal: 3, 303-314
Liquid fuel: 8, 689-700
Liquid-gas interface: 5, 476-490
Liquid-solid contact: 4, 356-368; 6, 517-537
Local heat transfer coefficient: 7, 619-636
Longitudinal fin: 4, 315-327

Mass spectroscopy: 6, 551-561
Mass transfer: 1, 68-79; 2, 115-132; 4, 342-255; 8, 689-700
Measurement: 1, 45-56; 6, 517-537
Measuring method: 4, 356-368
Medical engineering: 5, 457-475
Melting: 3, 255-271; 7, 589-602
Microstructure: 3, 209-226
Minimum-heat-flux point: 6, 517-537
Mist: 5, 439-456
Mixed convection: 6, 504-516
Molecular dynamics: 3, 255-271
Monte Carlo method: 2, 99-114
Multiflux method: 2, 99-114
Multipass tube: 1, 32-44
Multiphase flow: 3, 239-254; 5, 476-490; 7, 563-577, 619-636

Natural circulation: 7, 563-577, 577-588
Natural convection: 2, 166-178; 6, 504-516
Net quality region: 3, 272-287
Non-Newtonian fluid: 7, 603-618
Nondestructive measurement: 2, 179-192
Nonlinear optimization method: 3, 227-238
Nuclear reactor: 7, 563-577; 8, 701-716
Nucleation: 4, 356-368
Numerical analysis: 2, 99-114; 5, 425-438
Numerical simulation: 3, 227-238

Optimum design: 3, 227-238

Parallel plates: 2, 166-178
Phase change: 1, 57-67
Precipitation: 5, 439-456
Prediction: 4, 315-327
Pressure drop: 4, 315-327
Pressure loss: 4, 328-341
Pulsatile flow: 2, 115-132
Pulsed free jet: 6, 551-561
Pure rotational CARS: 1, 45-56

Radial liquid film flow: 7, 619-636
Rapid quenching: 6, 517-537
Rectangular duct: 3, 303-314
Rib-type eddy promoter: 5, 425-438
Rotating cylinder: 3, 303-314; 6, 504-516
Rotating heat pipe: 5, 409-424; 8, 672-688

Single-droplet lifetime: 1, 80-97
Small-disturbance analysis: 5, 476-490
Solid-liquid contact: 6, 538-550
Square enclosure: 6, 504-516
Square-rod array: 2, 193-207
Stability: 7, 563-577
Steam and ethanol vapor: 1, 57-67
Subcooled region: 3, 272-287
Superalloy: 3, 209-226
Supersonic flow: 1, 45-56
Surface geometry: 1, 68-79
Surface heat-flux distribution: 6, 538-550
Surfactant: 7, 603-618
Swirl flow: 4, 278-396

Temperature and CO_2 concentration measurements: 2, 179-192
Thermal comfort: 2, 147-165
Thermal conductivity measurement: 6, 491-503
Thermal diffusion: 8, 653-671
Thermal radiation: 2, 99-114
Thermohydraulic instability: 7, 577-588
Thermometry: 1, 45-56
Thermoregulation: 2, 147-165
Thin wire: 6, 517-537
Three-dimensional measurement: 2, 179-192
Transient cooling: 6, 538-550
Transition: 1, 57-67; 5, 409-424; 7, 619-636
Transition flow model: 8, 701-716
Tunnel: 5, 439-456
Turbine blade: 3, 209-226
Turbulence: 5, 439-456; 8, 689-700
Turbulent flow: 3, 303-314
Turbulent pipe flow: 4, 278-396
Twisted-tape insert: 4, 278-396
Twisted-tape inserted tube: 3, 272-287
Two-dimensional liquid jet: 7, 637-651
Two dimensions: 7, 589-602
Two-flux method: 2, 99-114
Two-phase flow: 1, 32-44

Ultrasonic wave: 2, 179-192
Unsteady flow: 5, 409-424
Upward flow: 2, 166-178

Vasomotor control: 2, 147-165
Vertical channel: 2, 166-178
Visualization: 4, 356-368
Volumetric heat-transfer coefficient: 4, 397-407
Vortex mixing: 2, 115-132

Wall temperature distribution visualization: 3, 272-287
Wall-temperature fluctuation: 3, 239-254
Wavy-walled channel: 2, 115-132

$Y_1Ba_2Cu_3O_{7-y}$ thermal engineering: 6, 491-503